GARY MANGIACOPA ARCHIVE
==========
Title: B2F82I2
Slug: b2f82i2
Categories: Cryptozoology
Source: https://garymangiacopraarchive.com/b2f82i2
Pages: 29 scanned, 29 extracted
OCR: Google Vision API (document_text_detection)
Processed: 2026-06-06
==========

news
Brown: plans to increase funding, but some fear a cut in the number of studentships.
■ in many areas, including the biological and physical sciences.
The government has not yet said how much extra money will be available to cover the increases, leading some to fear that student numbers could fall. Earlier this year the life-science community called for a pay increase, even if it meant cutting back on numbers (see Nature 403, 347; 2000). But the Treasury has denied that this is their intention. A spokesperson said the aim was to have more and better research students, and that "this does not mean fewer studentchips"
Bob F'rice, the head of human and corporate resources at the Biotechnology and Biological Sciences Research Council (BBSRC), welcomed the announcement with "open arms" and expects it to raise the quality and quantity of research students.
But earlier this year John Taylor, the director-general of the research councils, decided that stipends did not have to be harmonized, and that individual councils could choose whatever level they thought appropriate. Accordingly, the BBSRC's minimum went up to £7,380 and is under review. Price says it could increase beyond the amount announced by the Treasury, but that this would "need a reduction in the number of places".
But although welcoming the money in principle, many scientists are reserving judgement until the small print is revealed later this month- particularly a as the announcements

appeared as a leak to two newspapers of a speech by Gordon Brown, the Chancellor of the Exchequer, and as selective details released by the Treasury. Indeed, science may not be a net beneficiary. Money could be redistributed from other budgets, as was the case with government departmental spending (see Nature 404, 909; 2000), or clawed back elsewhere. The full results will be known when the government releases details of the Comprehensive Spending Review in a few weeks.

114

Tangled tale of a lost, stolen and disputed coelacanth

Heather McCabe, Paris & Janet Wright, London

Strange stories have long circulated around the coelacanth, the 'living fossil' fish discovered off the coast of South Africa in the 1930s. The latest are claims by French researchers who say they were the first scientists to find the Indonesian variety, in 1995. But the photograph they sent to Nature to support their claims has been denounced by another researcher as a fake.

Until recently, coelacanths had only been found on the west side of the Indian Ocean. The first recorded Indonesian sample was discovered by a US biologist, Mark Erdmann of the University of California at Berkeley, who published news of his find in Nature (see Nature 395, 335; 1998).

In a recent submission to Nature, the French team - Bernard Séret, Laurent Pouyaud and Georges Serre-say they were unable to register their specimen in 1995 because it failed to reach the museum to which it had been sent. They say Serre photographed the fish at the time, then lost the picture (their only other evidence) while moving house, and only found it again this year. But Nature staff noticed that the fish in the new photograph appears virtually identical to the one caught by Erdmann. When contacted, Roy Caldwell, a co-author of the 1998 paper, scrutinized the photograph via a picture-editing computer program and said, "I am 100% certain the image is a fake".

When Erdmann spotted a coelacanth off the northeast coast of Sulawesi in 1998, his find expanded the geographical distribution

of the fish by roughly 10,000 km. But Georges Serre, a consultant for what is now the French Institut de Recherche pour le Développe-
The mos
ment (IRD), has long claimed that a 10-kg specimen was caught in 1995 in the Bay of Pangandaran, in Southwest Java.

Serre says he gave the specimen to a fisherman to hand over to the indonesian fishery service. But the man gave it to a museum, from which it was stolen. Only recently, according to Serre, did Pouyaud, an IRD geneticist in Jakarta, track down the coelacanth to a private collection, whose owner refuses access to the fish.

The French team's finding, if confirmed, would further extend the distribution of this elusive creature, as it was caught more than 2,000 km from the spot where Erdmann found his 1998 specimen, suggesting a large distribution in the Indo-West Pacific region.

The whole issue is already shrouded in controversy. After analysing the specimen that Erdmann had given to the Indonesian authorities, Pouyaud and his colleagues at the Indonesian Institute of Science named it as a distinct species, Latimeria menadoensis -to the chagrin of Erdmann, who had been analysing tissue samples independently.

Caldwell says that coelacanths have highly individual spot patterns; the pattern in the two photographs is virtually identical. The bulky fish in the 1998 photo was swimming in the sea, yet is seen in the identical position, in the new photo, while lying on a slab. Shadows and other details seen when the image is magnified add to Caldwell's impression that the new photograph has been manipulated.

Serre still claims that the photograph is authentic, though he now says it was taken by a friend who later died and whose widow gave it to Serre before moving abroad.

Séret, who is an ichthyologist at the Muséum National d'Histoire Naturelle de Paris, admits that the two photographs do appear to show the same fish. "This is very embarrassing," he says.

Vive la différence? The French fish (right) bears a striking resemblance to one that appeared in Nature. (h² 6792)

[PAGE BREAK]

NATIONAL GEOGRAPHIC
EarthAlmanac
ALL BY MARK V. ERDMANN
NGS RESEARCH GRANT

Coelacanths: A Second Site

Gliding through Indonesian waters, Arnaz Mehta Erdmann swims with a strange and ancient fish, a coelacanth (above). Until now only a few hundred were thought to exist, nearly all off the Comoro Islands near Madagascar (GEOGRAPHIC, June 1988). But this coelacanth was found off Sulawesi, an island some 5,400 miles east of the Comoros.

Romance and science married on September 18, 1997, when Arnaz and reef ecologist Mark Erdmann were honeymooning in the Indonesian port of Manado. In the market they saw a cart roll by with a four-foot-long fish-which Mark immediately identified as a coelacanth."I was intrigued by its strange shape and eerie luminescent green eyes," he recalls. Erdmann then consulted with colleague Roy L. Caldwell at the University of California at Berkeley. Supported by Geographic research grants, Erdmann interviewed Indonesian fishermen: Did they ever catch such fish? Last July a shark netter delivered a barely alive coelacanth to his door. After being towed behind a boat, the fish revived. It is part of a separate Indonesian population, Erdmann feels certain. Its snout (above left) contains an electroreceptive organ, probably to detect prey. Gold-flecked scales (left) may be unique to this coelacanth population.

The oily, urea-laden fish is virtually inedible, but Erd-

mann and Caldwell worry about collectors, despite an international treaty that protects coelacanths. Indonesian authorities are working to establish safeguards. Coelacanths evolved about 400 million years ago. They were believed extinct until 1938, when one was caught in a fishing trawl.
DECEMBER 1998

[PAGE BREAK]

THE
A few ardent
asked their lives just for a look at this one mys-
FOSSIL
terious creature. Now, their hopes are soaring. BY MICHAEL CANNELL

[PAGE BREAK]

ipelago 200 miles from Africa. The same scientists give the fish a nickname, "Old Fourlegs." (More often they use its official name, coelacanth, pronouncing it "SEE-luh-kanth.") It is the only survivor of a subclass of bony fishes that may include our ancestors. A few relatives got their appendages crawling up onto shore, rapidly evolving into tetrapods, the four-limbed terrestrial creatures that include Homo sapiens. Natural selection absorbed all the members of the subclass, changing them fundamentally or killing all of them off; all, that is, except for the coelacanth. It was, evolutionarily speaking, the one that got away.
Scientists, in fact, thought that the coelacanth had accompanied dinosaurs into extinction at the end of the Cretaceous Period some 65 million years ago. Humans knew the fish as nothing but fossil until 61
How did it survive when its cousins
defiant mystery.
died off? Why does it dwell off a few isolated islands and practically nowhere else? Does its presence suggest that other exotic creatures await in the ocean's dark recesses? More urgently, how can scientists keep the creature from going extinct before they can solve its mysteries?
The coelacanth may be the most sought-after creature on Earth (excluding such cryptozoological ephemera as the yeti and the Loch Ness Monster.) No other animal so alluringly combines elusiveness with an unbeatable pedigree-older than dios! Our long-lost relative! Expeditions are scrambling to catch coelacanths for research, or to draw record crowds of ticket-buying aquarium-goers. Japan's Toba Aquarium backed a $1.76 million juggernaut to bring the fish
"Don't think me mad, but I believe there is a good chun

years ago, when a South African trawler unexpectedly netted a live one. The discovery sent the scientific world aflutter. Here was a living fossil, unchanged over hundreds of millions of years. The fish became an instant media star. Ogden Nash wrote a poem about it. ("It jeers at fish unfossilized/As intellectual snobs elite/Old Coelacanth, so unrevised/It doesn't know it's obsolete.") It went on to inspire the horror film The Creature from the Black Lagoon. To this day, while science relentlessly parses the human genome and picks at ever smaller bits of matter, the coelacanth retains its throwback status as a scientific enigma, a

Capetown

FOUTH

AFRICA

back alive. The prospect appalls some scientists. The fish already resides on the endangered species list. Critics warn that the ongoing coelacanth-fishing derby could turn the living fossil into a dead one.

"The coelacanth is our closest living relative in the fishy world," says John Maisey, a curator of vertebrate paleontology at the American Museum of Natural History in New York. "If it goes extinct, 400 million years of history are lost."

There clearly is cause for alarm. Coelacanth trackers are using the latest in sonar and submersibles. Even more effectively, they're offering generous boun-

M

Grand compone

COMORO

K

I

ISLANDS

A

Most of the 100 or so coelacantys caught since 1938 were found along the West coast of Grande Comore.

East London, where scientists first encountered the coelacanth in 1938.

ties to native fishermen who haul the fish in alive. But don't expect to see any coelacanths in an aquarium near you-not just yet. While the people pursuing them are the most zealous anglers in the world, they may also be the least successful. "It is the holy grail of ichthyology," says John McCosker, director emeritus of San Francisco's Steinhart Aquarium. The fact is, no Westerner has caught one since that original find, 61 years ago.

IT WAS A HOT DECEMBER DAY IN 1938, when Captain Hendrik Goosen steered his trawler into the South African fishing port

of East London. He had been trolling five miles off the mouth of the Chalumna River where the sea floor drops to 6,000 feet. As was it is a type of fish his custom, he dumped the inedible catch aside for Marjorie Courtenay-Latimer, the young curator of a local natural history museum. The pile contained the usual refuse-rays, sharks, and redfish and a large dead fish nobody aboard had ever seen before. The deckhands called it a "sea lizard" because its fins resembled legs.

When Courtenay-Latimer saw the curious fins, she pushed aside the surrounding pile to reveal "the most beautiful fish I had ever seen, 5 feet long and a pale mauve blue with iridescent silver markings." She recognized it as a rare find, whatever it was. She prevailed on a reluctant cab driver to rush her and her decomposing passenger back to the crudely equipped museum. She knew she had to act fast before the oppressive midsummer heat decayed her prize. She Africa, Smith received the letter at a remote seaside cottage where he was correcting exams over Christmas break. He suspected that she had made a breakthrough discovery-her sketch was a dead ringer for the ancient coelacanth-but the fish was a fossil; no creature of that size or complexity had ever before risen Lazarus-like out of the depths of evolution. Smith was clearly shaken by the implications. He paced around the house until his wife expressed her concern for him.

"Don't think me mad," he replied, "but I believe there is a good chance that it is a type of fish generally thought to have been extinct for many millions of years.'

His speculation was far from insane, as he proved later. But the fish itself may have contributed to a decline in his sanity that accelerated from that point on. An ambitious man, Professor Smith understood

Prize Catch
In passionate pursuit of the ancient coelacanth for 14 years, Professor 7.L.B. Smith (left, center of photo) at last met bis catch. Smith was so overcome, he wept openly While transporting his

prized specimen,
Smith refused
to leave its side.
He even slept next
to the crate
bolding the
fish's remains
(below).
generally thought to have been extinct for millions of years."
photographed the fish, then carted it
through the streets on a borrowed
wheelbarrow in search of help. Both
the mortuary and a cold-storage
warehouse turned the reeking carcass
away. Finally, in desperation, she
delivered it to an elderly taxidermist
who wrapped it in formaldehyde-
soaked cloths and paper.
Courtenay-Latimer knew that
her specimen matched primitive
fishes she had seen in texts, but she felt unqualified
to venture an identification. She sent a sketch and
written description to J. L. B. Smith, South Africa's
preeminent ichthyologist. An eccentric and obsessive
41-year-old professor at Rhodes University in South
PHOTOGRAPHY THIS PAGE JLB SMITH INSTITUTE OF ICHTHYOLOGY/NATIONAL GEOGRAPHIC SOCIETY
that presenting a live coelacanth
to the natural history establishment
could make his reputation. It could
also break it. He was reluctant to bet
his credibility on a single specimen,
and he agonized for weeks over his
involvement. "Those were awful
days, and the nights were even
worse," he recalled in a memoir he
wrote years later, titled Old Fourlegs.
"I was tortured by the doubts and
fears... Yes, everything was against its really being a
coelacanth...and yet every time I took out that sketch,
it said 'yes,' emphatically 'yes.'
Finally, in mid-February, Smith and his wife
embarked on the weeklong drive to East London.

[PAGE BREAK]

ties to native fishermen who haul the fish in alive. But
don't expect to see any coelacanths in an aquarium
near you-not just yet. While the people pursuing
them are the most zealous anglers in the world, they
may also be the least successful. "It is the holy grail

of ichthyology," says John McCosker, director emeritus of San Francisco's Steinhart Aquarium. The fact is, no Westerner has caught one since that original find, 61 years ago.

IT WAS A HOT DECEMBER DAY IN 1938, when Captain Hendrik Goosen steered his trawler into the South African fishing port of East London. He had been trolling five miles off the mouth of the Chalumna River where the sea floor drops to 6,000 feet. As was his custom, he dumped the inedible catch aside for Marjorie Courtenay-Latimer, the young curator of a local natural history museum. The pile contained the usual refuse-rays, sharks, and redfish-and a large dead fish nobody aboard had ever seen before. The deckhands called it a "sea lizard" because its fins resembled legs.

When Courtenay-Latimer saw the curious fins, she pushed aside the surrounding pile to reveal "the most beautiful fish I had ever seen, 5 feet long and a pale mauve blue with iridescent silver markings." She recognized it as a rare find, whatever it was. She prevailed on a reluctant cab driver to rush her and her decomposing passenger back to the crudely equipped museum. She knew she had to act fast before the oppressive midsummer heat decayed her prize. She

Africa, Smith received the letter at a remote seaside cottage where he was correcting exams over Christmas break. He suspected that she had made a breakthrough discovery-her sketch was a dead ringer for the ancient coelacanth-but the fish was a fossil; no creature of that size or complexity had ever before risen Lazarus-like out of the depths of evolution. Smith was clearly shaken by the implications. He paced around the house until his wife expressed her concern for him.

"Don't think me mad," he replied, "but I believe there is a good chance that it is a type of fish generally thought to have been extinct for many millions of years."

His speculation was far from insane, as he proved later. But the fish itself may have contributed to a decline in his sanity that accelerated from that point on. An ambitious man, Professor Smith understood

Prize Catch
In passionate pursuit of the ancient coelacanth for 14 years, Professor J.L.B.

Smith (left, center
of photo) at
last met his catch.
Smith was so
overcome, he wept
openly. While
transporting his
prized specimen,
Smith refused
to leave its side.
He even slept next
to the crate
bolding the
fish's remams
(below).
ally thought to have been extinct for millions of years."
photographed the fish, then carted it
through the streets on a borrowed
wheelbarrow in search of help. Both
the mortuary and a cold-storage
warehouse turned the reeking carcass
away. Finally, in desperation, she
delivered it to an elderly taxidermist
who wrapped it in formaldehyde-
soaked cloths and paper.
Courtenay-Latimer knew that
her specimen matched primitive
fishes she had seen in texts, but she felt unqualified
to venture an identification. She sent a sketch and
written description to J. L. B. Smith, South Africa's
preeminent ichthyologist. An eccentric and obsessive
41-year-old professor at Rhodes University in South
that presenting a live coelacanth
to the natural history establishment
could make his reputation. It could
also break it. He was reluctant to bet
his credibility on a single specimen,
and he agonized for weeks over his
involvement. "Those were awful
days, and the nights were even
worse," he recalled in a memoir he
wrote years later, titled Old Fourlegs.
"I was tortured by the doubts and
fears...Yes, everything was against its really being a
coelacanth...and yet every time I took out that sketch,
it said 'yes,' emphatically 'yes."
999
Finally, in mid-February, Smith and his wife
embarked on the weeklong drive to East London.
PHOTOGRAPHY THIS PAGE JL SMITH INSTITUTE OF ICHTHYOLOGY/NATIONAL GEOGRAPHIC SOCIETY
US AIRWAYS Attaché JANUARY 1999

99 55

[PAGE BREAK]

iskupers
used
the fish's
Comoro
h's scales as sandpapers
T
H
E
The name coelacanth means
A
Thought to have become extryct sixty million years age, wytil 1938,
Whey oye was caught year the coast of South Africa
M
120~160/66
Latimeria
chalumnae
First ayseared about four haydred willion years ago
5~6¾4 feet
The fish is a sluggish, 5-foot-long predator with steel- blue scales, silvery spots, and an unspellable name.
56
They arrived to find that most of the fish had been removed. The taxidermist had been unable to find a container large enough to preserve the specimen in formaldehyde. With the fish in danger of decomposing, he had no choice but to discard the viscera. There was nothing left for Smith to examine but the bones and armorlike scales. To make matters worse, Courtenay-Latimer's photographs came back from the film lab unreadable.

While these were considerable setbacks from Smith's standpoint, one look at the stuffed remains confirmed beyond doubt that the species was, in fact, a coelacanth. "Although I had come prepared, that first sight hit me like a white-hot blast and made me feel shaky and queer," Smith wrote in a characteristically nervous tone. He went up to the stinking,
US AIRWAYS Attaché
JANUARY 1999
formaldehyde-soaked remains and stroked the skin gently while his wife looked on in silence.

Smith shipped the specimen by train, under police escort, back to Rhodes University, where he dissected the remains. He formally announced his findings in a short article, "A Living Fish of the Mesozoic Type," published in Nature, an esteemed London

journal. But news of his discovery had already leaked. Smith had reluctantly allowed a local paper, the East London Daily Dispatch, to photograph the fish. Papers around the world reproduced the picture. Headlines billed the coelacanth as a living fossil and missing link. The London Illustrated News called it "One of the Most Amazing Events in the Realm of Natural History in the Twentieth Century." LIFE magazine saluted it as a "clue to evolution." Scientists everywhere weighed in with opinions on the find's significance.
Back in East London, a museum trustee gave Courtenay-Latimer a letter to type up. She was appalled to find that it was an offer to donate her cherished specimen to London's British Museum. She refused to type it. In the end, the specimen stayed in East London, South Africa, where it is still on display.
For all the sensation it provoked, the disemboweled coelacanth revealed very little about itself. But if there was one coelacanth, Smith reasoned, there must be more. He now devoted much of his energy to finding a second, intact specimen. Over the following years, the Smiths toured the East African fishing ports-on the coasts of Zanzibar and Pemba, Mozambique, Tanganyika, and Kenya, among other destinations-talking to local officials and fishermen. They distributed thousands of leaflets printed in French, Portuguese, and English showing a picture of the fish and offering a $280 reward. ("Look carefully at this fish. It may bring you good fortune.")
On December 24, 1952, Smith and his wife were returning by steamship to Cape Town with tons of fish-none of them a coelacanth-collected during a strenuous five-month trip up the coast. They disembarked in Durban to find an urgent telegram sent by schooner captain Eric Hunt from the Comoros island of Dzaoudzi. Hunt had wired to say that he had a coelacanth. An observant teacher found it in a market, then carted it 25 miles over hilly country to Hunt's ship. Hunt packed it in salt and injected it with five liters of formaldehyde.
Smith placed an urgent call to South Africa's prime

[PAGE BREAK]

he
T
H
A
Thought to have become extinct sixty million ye
Whey one was caught year the.
coast of South.

age, until 1938,
of South Africa
coast
chalumnae
First appeared about four hundred million years agó-
5~674 feet
blue scales, silvery spots, and an unspellable name.
weighed in with opinions on the find's significance.
Back in East London, a museum trustee gave Courtenay-Latimer a letter to type up. She was appalled to find that it was an offer to donate her cherished specimen to London's British Museum. She refused to type it. In the end, the specimen stayed in East London, South Africa, where it is still on display.
For all the sensation it provoked, the disemboweled coelacanth revealed very little about itself. But if there was one coelacanth, Smith reasoned, there must be more. He now devoted much of his energy to finding a second, intact specimen. Over the following years, the Smiths toured the East African fishing ports-on the coasts of Zanzibar and Pemba, Mozambique, Tanganyika, and Kenya, among other destinations-talking to local officials and fishermen. They distributed thousands of leaflets printed in French, Portuguese, and English showing a picture of the fish and offering a $280 reward. ("Look carefully at this fish. It may bring you good fortune.")
On December 24, 1952, Smith and his wife were returning by steamship to Cape Town with tons of fish-none of them a coelacanth-collected during a strenuous five-month trip up the coast. They disembarked in Durban to find an urgent telegram sent by schooner captain Eric Hunt from the Comoros island of Dzaoudzi. Hunt had wired to say that he had a coelacanth. An observant teacher found it in a market, then carted it 25 miles over hilly country to Hunt's ship. Hunt packed it in salt and injected it with five liters of formaldehyde.
Smith placed an urgent call to South Africa's prime
US AIRWAYS Attaché JANUARY 1999
1999 57

[PAGE BREAK]

minister, Daniel F. Malan, and presented the case as a matter of national interest. Malan offered the use of a military plane. Thirty-six hours later, Smith took off for Pamanzi Island on a DC-3 and collected the fish, the culmination of a 14-year search. He did not underreact. "My whole life welled in a terrible flood of fear and and I could not speak or move," he
agony,

recalled. He knelt to caress the fish. "I found tears splashing on my hands and realized that I was weeping and was quite without shame."

up

Upon arrival in Capetown, Smith unveiled his catch under a tree on the lawn of Prime Minister Malan's residence. "You mean to tell me," asked the prime minister, "that we looked like that 300 million years ago? It's very ugly."

"I've seen uglier human beings," Smith replied.

would surely follow, leading to an oceanic gold rush. Of the coelacanth seekers, one who arouses Fricke's special ire is Jerry Hamlin. Over the last 13 years Hamlin, a 55-year-old Connecticut filmmaker and robot designer, has launched seven expeditions to the Comoros. He has offered a $200 bounty for live specimens. He even built a full-scale robotic coelacanth, named Nemo, to inspire the fishermen. Hamlin may be the most patient fisherman in the world: Despite all his efforts, he has seen only one live coelacanth. It was, tantalizingly, during his first trip to the islands, in 1986. He was sound asleep in his room at Le Coelacanthe Hotel when two fishermen woke him at dawn. They had a freshly caught coelacanth, still alive and gulping violently every four seconds. "I knew the sunlight was bad for it, so I shielded its eyes with

"It wouldn't surprise me roths are considerably

Rare Indeed

The coelacanth was first sighted by Westerners in 1938, when South African fishermen hauled it from the depths. A local naturalist called it "the most beautiful fish I had ever seen." The fishermen called it a "sea lizard."

THAT MOMENT SEEMS TO HAVE climax for Smith. An impassioned and deeply s man, he submitted to mental illness and, in 16. took his own life. But by then, others were hunting the coelacanth. In 1988 German scientist Hans Fricke, using a two-man submersible, shot the first film of coelacanths swimming among undersea lava caves. But Fricke, who estimates the surviving population

at just 300, wants the search for coelacanths to stop at photography. He has led the fight against efforts to capture a specimen. If a single aquarium manages to display a live coelacanth, he predicts, others
15
Hamlin says. He had a diver return the
in are deeps, but it died within minutes.
He was lucky to see one at all. The fish surface only on those rare occasions-half a dozen times a year-when native fishermen paddling dugout canoes accidentally haul them up on baited 800-foot hand lines. The meat is too oily to eat. Still, the creature is not entirely useless. Comorans use the scales as sandpaper to roughen bicycle inner tubes before applying a patch. Or, if he happens to know a Westerner like Jerry Hamlin who is willing to pay handsomely, the fisherman may deliver it, gasping and on the brink of
than
CTURES
58
US AIRWAYS Attaché JANUARY 1999

[PAGE BREAK]

minister, Daniel F. Malan, and presented the case as a matter of national interest. Malan offered the use of a military plane. Thirty-six hours later, Smith took off for Pamanzi Island on a DC-3 and collected the fish, the culmination of a 14-year search. He did not underreact. "My whole life welled up in a terrible flood of fear and agony, and I could not speak or move," he recalled. He knelt to caress the fish. "I found tears splashing on my hands and realized that I was weeping and was quite without shame."
Upon arrival in Capetown, Smith unveiled his catch under a tree on the lawn of Prime Minister Malan's residence. "You mean to tell me," asked the prime minister, "that we looked like that 300 million years ago? It's very ugly."
"I've seen uglier human beings," Smith replied.
would surely follow, leading to an oceanic gold rush.
Of the coelacanth seekers, one who arouses Fricke's special ire is Jerry Hamlin. Over the last 13 years Hamlin, a 55-year-old Connecticut filmmaker and robot designer, has launched seven expeditions to the Comoros. He has offered a $200 bounty for live specimens. He even built a full-scale robotic coelacanth, named Nemo, to inspire the fishermen. Hamlin may be the most patient fisherman in the world: Despite all his efforts, he has seen only one live coelacanth. It was, tantalizingly, during his first trip to the islands, in 1986. He was sound asleep in his room at

Le Coelacanthe Hotel when two fishermen woke him at dawn. They had a freshly caught coelacanth, still alive and gulping violently every four seconds. "I knew the sunlight was bad for it, so I shielded its eyes with death. Warm surface waters and asphyxiation combine to kill a captive coelacanth within hours. None of the fish caught by natives has ever survived.

Hamlin had hopes to change that statistic. In the late 1980s, he began experimenting with ways to stabilize a live coelacanth long enough to transport it to the New York Aquarium. The closest he came to succeeding was in 1995, when a fish was kept alive for ten hours in a chilled 800-gallon rescue tank he built under a tent on the beach. The tank was later wrecked by vandals while he was away. "Sometimes I wonder why I'm doing this," Hamlin confesses. "I've invested so much-about $100,000-that I'm reluctant to withdraw. It's become my personal Vietnam."

Hamlin answers critics like "It wouldn't surprise me if coelacanths are considere common

Rare Indeed

The coelacanth was first sighted by Westerners m 1938, when South African fishermen bauled it from the depths. A local naturalist called it "the most beautiful fish I had ever seen." The fishermen called it a "sea

lizard."

THAT MOMENT SEEMS TO HAVE BEEN A climax for Smith. An impassioned and deeply troubled man, he submitted to mental illness and, in 1968, took his own life. But by then, others were hunting the coelacanth. In 1988 German scientist Hans Fricke, using a two-man submersible, shot the first film of coelacanths swimming among undersea lava caves. But Fricke, who estimates the surviving population at just 300, wants the search for coelacanths to stop at photography. He has led the fight against efforts to capture a specimen. If a single aquarium manages to display a live coelacanth, he predicts, others

a plastic bag," Hamlin says. He had a diver return the fish to the deeps, but it died within minutes.
He was lucky to see one at all. The fish surface only on those rare occasions-half a dozen times a year-when native fishermen paddling dugout canoes accidentally haul them up on baited 800-foot hand lines. The meat is too oily to eat. Still, the creature is not entirely useless. Comorans use the scales as sandpaper to roughen bicycle inner tubes before applying a patch. Or, if he happens to know a Westerner like Jerry Hamlin who is willing to pay handsomely, the fisherman may deliver it, gasping and on the brink of
than
Fricke by defending his quest as
an effort to revive coelacanths
that would otherwise die. "We
offered the fishermen money as
an incentive to keep the fish alive," he
says. "Otherwise they whacked and gaffed the fish and ran rope through their gills." If the stock dwindles, Hamlin warns, captive breeding may be the only way to ensure the species' continuance. Besides, while nobody doubts that coelacanths are imperiled, some ichthyologists suspect Fricke of overstating the danger. "It's a poorly known part of the world, and very hard to conduct a survey,"
," the Steinhart Aquarium's
John McCosker said last year. "It wouldn't surprise me if coelacanths are considerably more common than thought when they were given endangered status."
In fact, McCosker's hunch proved correct. Last
them a living coelacanth. They took the fish to the water just in front of their house, donned dive gear, and swam with it in about 30 feet of water. The fish did not look well. "It was clearly dying," says Arnaz Erdmann says. "It needed some help balancing from time to time." Three hours later, it was dead.
Positive ID
When scientists
compared the
the tail of a
live coelacanth
with that of a
140-million-
they found it to
be an identical
match.
The fish's difficulty in surviving outside its icy year-old fossil, habitat and the steadily rising criticism of efforts to capture it-have caused Jerry Hamlin to refocus his efforts. Instead of catching coelacanths, he will attempt to keep them alive in the wild. Last year, the

Web site for his "Coelacanth Rescue Mission" invited readers to submit alternative rescue plans. A Florida biologist won the $500 prize for the winning proposal, a kit designed to speed weakened fish back to the icy depths. It consists of a line tied to a barbless hook and a sack-all contained in Ziplock bags sewn to the backs of T-shirts. Hamlin distributed 200 free rescue kits to fishermen last spring. A fisherman who has caught a coelacanth is supposed to place the barbless hook in the fish's jaw and lower it with the weighted sack. When sack hits bottom, the fisherman is to free the fish by jerking the hook from its mouth.
thought when they were given endangered status."
September a UC-Berkeley postdoctoral biologist named Mark Erdmann announced that he had found a second population of coelacanths 6,000 miles from the Comoros, on the far side of the Indian Ocean. His wife, Arnaz, spotted one being wheeled on a handcart through a market in Manado, on the Indonesian island of Sulawesi, during their honeymoon two years ago. The Erdmanns were reluctant to store a rotting fish in their hotel room; all they could do was photograph the specimen before they left.
The Erdmanns later returned to Manado in search of more coelacanths. They found Indonesian fishermen well-acquainted with the fish, which they call "raja laut" or "king of the sea." Last July, a fisherman brought
Hamlin hopes to appraise the program in person this winter. In the meantime, he is finishing a documentary film about his 13-year campaign tentatively titled The Fish Out of Time: A Coelacanth Odyssey.

THE TICKET

For more on the coelacanth's history and preservation efforts, visit the Web site www.dinofish.com.

Will Hamlin's fish story play as a eulogy or rallying call? If the optimists are correct, there are plenty of coelacanths to rally to. If the doomsayers are right, on the other hand, the longest of fish stories will come to an abrupt and unsatisfying end, and the coelacanth will for all time be the greatest fish that ever got away. *

MICHAEL CANNELL is a contributing
editor to ATTACHE. He lives in Manhattan,
where be carefully studies the Hudson River.
US AIRWAYS Attaché
JANUARY 1999 59

[PAGE BREAK]

34
48
TH
E
YE
A
R
IN
S
C I
E
N
C
E
Discover
THE WORLD OF SCIENCE
http://www.discover.com
January 1999
Vol 20
Number 1
1998
33
47
26 Archeology
Return to Constantinople's Great Palace, prehistoric American shoes, the ice man goes home, the Jamestown curse, King Arthur was where?, oldest synagogue, oldest church, and an underwater sphinx.
32 Sex
Braggin' about Viagra.
33 Genetics
The
gene finds of '98.
34 Technology
Iris-scanning ID system,
a virus by e-mail, and
carbon nanotubes
challenge silicon chips.
40 AIDS
Good news-
relatively-in the First
C
N =
M

World, continued
calamity in the Third.
47 Physics
26
At last, a neutrino with some heft to it.
48 Evolution
Dinosaurs with feathers, a new coelacanth, fossils of 570-million-year-old embryos, 92-million-year-old ants in amber from New Jersey.
56 Cloning
Five dozen cloned mice may point the way to the first cloned human.
57 Medicine
Lyme vaccines, how to have a girl, the beginning of custom-grown organs?, the complex promise of tamoxifen, a transplanted hand, an 11-year-old crusader against flimflam, an overhyped cancer cure, and medical highlights of the year.
Copyright 1998 Disney
56
Cover Eddie Adams/Outline

[PAGE BREAK]

C
N T
EN N_
T
THE
YEAR
IN S
CI E N C
E
S
64
1998
70
73
DEPARTMENTS
18
10 From the Editor
14 Contributors
16 Action & Reaction
18 Vital Signs
By Jill Bolte Taylor
Stroke: insider information.
107 Book Review
By Shanti Menon
A passion for ancient Egypt.
109 Further Reading
110 Night Watchman

By Bob Berman
What's in the skies for '99.
112 Brain Bogglers
By Clifford A. Pickover
The mathematicians' pizza.
64 Earth
The ravages of floods in China, mud in Central America, and a tsunami in New Guinea, our atmosphere is shrinking, the Noah effect of 5500 B.C., and the hottest year on record.
70 Space
Glenn again, sunquakes, Hubble highlights, watery moons and Mars, the Milky Way's size, the universe's age, planets and bursters galore, the "just missed" asteroid, and the ambitions of some post-60 astronauts.
20 Human Origins
Erectus floats a boat, and Africanus's arms grow too long.
FEATURES
82 Fear of Flu
BY PATRICIA GADSBY
The 1918 flu killed millions, and we don't know where it came from. The 1997 avian flu in Hong Kong killed only six people, but its ancestry is making people worried.
90 The Great Quantum Number Cruncher
BY DAVID H. FREEDMAN
A quantum computer could solve in seconds problems that now would take centuries. Perhaps 1998 will be remembered as the year we really started building one.
98 The El Niño Factor
BY CARL ZIMMER
El Niño ended yet another reign this year, producing floods, droughts, and disease. A sign of things to come?
90
98

[PAGE BREAK]

CONTRIBUTORS
Discover
BOB BERMAN
(Night Watchman, page 110) is director of Storm King Observatory in Cornwall and Overlook Observatory near Woodstock, New York. He produces Skywindow weekly for public radio and is the author of Secrets of the Night Sky and the recently published Cosmic Adventure: A Renegade Astronomer's Guide to Our World and Beyond.
MARK CALDWELL
("Cumulina and Her Sisters," page 56), a professor of English at Fordham University, is the author of The Last Crusade: The

[AD] War on Consumption 1862-1954.

ANDRZEJ DUDZINSKI
ment of Agriculture and Markets who were swabbing chickens in the Bronx."

JO ANN C. GUTIN
(Book Review, page 108) is an anthropologist, a science writer, and the winner of a National Book Critics Circle Award for criticism.

MICHAEL HAGMANN
("Take Me Back to Constantinople," page 26, "Amber Ants," page 52) is a DISCOVER intern.

SHANTI MENON
(Book Review, rage 107) is a DISCOVER re-
er My all-time favorite for-
("The Great Quantum Number Crusher
2234477412 You long to see the pyra-
page 90, illustrator) is a multimedia art ups says. It's still true, but
with a knack for solving unsolvable proberes og trick smok, I long to see
lems and exploring new boundaries.
we about ancient
Dudzinski works with a wide
variety of
wake amray Elev in December.
subjects, from politics and social issues through science and medicine to supernatural phenomena and fantasy. His conceptual illustrations have appeared in publications in the United States and Europe, including the Atlantic Monthly, Newsweek, and Time.

JOSH FISCHMAN
("Feathers Don't Make the Bird," page 48) is the former editor in chief of Earth, a form of magazine life that, sadly, went extinct in 1998.

MARGARET FOLEY
(Book Review, page 107) is DISCOVER'S managing editor, she may never again snub a dandelion.

DAVID H. FREEDMAN
("The Great Quantum Number Cruncher," page 90), a contributing editor of DISCOVER, is the author of Brainmakers and coauthor of At Large: The Strange Case of the World's Largest Internet Invasion.

PATRICIA GADSBY
("Fear of Flu," page 82) is a contributing editor of DISCOVER. "I was familiar with Southeast Asia's 'wet' markets but was quite unaware of the live bird markets under my

nose in New York," she says. "There are over 70 in the metropolitan area, selling not only live birds but goats and other animals. I spent a sweltering morning changing in and out of paper jumpsuits, following two inspectors of the New York State Depart-

DISCOVER 14 JANUARY 1999

ROSIE MESTEL
("Sexual Chemistry," page 32) is a U.S. correspondent for the British magazine New Scientist and a contributing editor of Health.

CLIFFORD A. PICKOVER
(Brain Bogglers, page 112), a computer scientist at IBM's T. J. Watson Research Center, specializes in scientific visualization and the creative use of computer graphics. He is the author of several books, including Time: A Traveler's Guide and The Science of Aliens.

JILL BOLTE TAYLOR
(Vital Signs, page 18) is a neuroscientist and the Harvard Brain Tissue Resource Center's National Spokesperson for the Mentally Ill. "I'm called the Singin' Scientist," says Taylor, who travels the country with her guitar, educating people about the beauty of the human brain. "There's a shortage of brain tissue for research," she says.

"I try to talk to families about this, but the tension in the room is pretty thick when they realize 'Oh my God, she wants my brain!' That's why I wrote 'The Brain Bank Jingle."

CARL ZIMMER
("The El Niño Factor," page 98) is a senior editor of DISCOVER, the winner of the 1997 American Institute of Biological Sciences Media Award, and the author of At the Water's Edge.

EDITOR IN CHIEF MARC ZABLUDOFF
European Editor ROBERT KUNZIG
Art Director RICHARD BODDY
Managing Editor MARGARET FOLEY
Sentor News Editor TIM FOLGER
Senior Editors
Senior Editor, Online
Senior Copy Editor
Copy Editor
Associate Editors
Assoc. Production Editor

Researcher/Reporters
SARAH RICHARDSON
POLLY SHULMAN
CARL ZIMMER
COREY S. POWELL
ANNE NOLAN
LYBI MA
JOSIE GLAUSIUSZ
KATHY A. SVITIL
MICHAEL M. ABRAMS
JESSICA GORMAN
SHANTI MENON
FENELLA SAUNDERS
JEFFREY WINTERS
Editorial Assistant ALICIA GUNN
Assist to the Editor in Chief LEILA FERIOLI
Contributing Editors
MARCIA BARTUSIAK, JARED DIAMOND,
DAVID H. FREEDMAN, PATRICIA GADSBY.
LARRY GONICK, STEPHEN JAY GOULD, FRED GUTERL,
WILL HIVELY, VIRGINIA MORELL, PETER RADETSKY.
MARY ROACH, JAMES SHREEVE, JUDITH STONE,
GARY TAUBES, MARK WHEELER
Associate Art Director ANDREW NAHEM
Picture Editor KIM HUBBARD
Assistant Picture Editor JENNIFER ECKSTEIN
Business Development Dir. KARIN RENDER PHAM
Business Development Mgr.
Rights and Permissions
DARLENE QUINN-CAVALIER
MARCIA BELL
PUBLISHER LEE ROSENBAUM
Associate Publisher ROBERT LEE
Advertising Director SARAH BENENSON
Marketing Director KEVIN M. BELDEN
Prome/Merchandising Mgr. CHRISTINA L. WOO
Creative Services Manager PETER COOPER
Senior Mkt Research Mgr TANJA WALKER
Senior Finance Manager RICHARD TANG
Publicity BELLA WAGNER
Publishing Staff
MELISSA BOBIS. JEANNAY BUONFIGLIO, DUNCAN CALHOUN,
MARGARET G CAMPBELL, CHRIS CARROLL, WILLIAM COAD,
DANA COLASANTE, JAMES CROWLEY, SUSAN DEE,
STEPHANIE DOWNES, CHRISTINA DRISCOLL, JUDY GROTE,
MIRIAM E. HART, JOSEPH MCLAUGHLIN, DOREEN MELKONIAN,
THOMAS MURPHY, DEBBIE NASSAYAN, CHRISTOPHER PRIEST,
SUZANNE QUINT, LORI R. SELMON, LEONA SMITH,
RONALD STAINO, JUDITH TSIN, JENNIFER VERSACCI
ADVERTISING SALES OFFICES
New York: JEFF DUNETZ (Manager), ALI BONEVAL,
COLIN HAMILTON, PETER ZEUSCHNER

[AD] 212-633-4400, fax 212-633-4809
Los Angeles ERIC M. ERENSTOFT
[AD] 818-567-6016, fax 818-843-8221
San Francisco: LIZ HORAN
[AD] 415-283-2410, fax 415-283-2416
Chicago PHIL PETERSON
[AD] 312-943-6486, fax 312-587-7366
Detroit RON FREDERICK (Manager).
CINDY TOMCZAK
[AD] 248-643-7744, fax 248-643-8401
Southwest BOB JAMESON, CRAIG WEINBRENNER
[AD] 972-669-1663, fax 972-783-1718
Canada: ALAN BEDARD
[AD] 905-584-1026, fax 905-584-2869
Direct Response: JIM SMYTH
[AD] Smyth Media Group, 212-626-6728, fax 212-626-6729
Classified ClassMark Publishers' Representative,
[AD] Kathleen Gleason, 708-352-8832, fax 708-352-4094
DISCOVER IS PUBLISHED BY
THE BUENA VISTA PUBLISHING GROUP, INC.
Senior Vice President STEVEN PLESHETTE MURPHY
VP, Business Development DEBORAH DUGAN
VP, Comm. and Synergy LISA CAPUTO
VP, Finance and Operations VINCE LONCTO
VP, Mfg. and Production KEVIN MULLAN
VP, Circulation STEVEN ASTER
Dir., Finance PETER DELLA PENNA
Dir, Newsstand ROBERT BRUNO

[PAGE BREAK]

Mark Erdmann
the two new fossils with Velociraptor, a sleek dinosaur considered by many researchers to be a close relative of birds, as well as Archaeopteryx and other primitive birds. The analysis produced a sort of family tree, with its first split coming between the lineage leading to Velociraptor and the line leading to all the other dinosaurs and birds. Protarchaeopteryx branched off this line soon after that, and then Caudipteryx's ancestry split away from that of Archaeopteryx and all modern birds. In other words, the Chinese fossils were dinosaurs. That meant that feathers, apparently, cloaked
M
dinosaurs long before birds arose, perhaps functioning as a layer of insulation or as courtship display. Only later did proto-

birds adapt them for flight.
Skeptics of the bird-dinosaur link have long pointed out that what appear to be the closest relatives to birds lived 80 million years after Archaeopteryx. "The timing is a real problem," says ornithologist Alan Feduccia of the University of North Carolina. The new fossils don't resolve the gap.
Feduccia suggests that the pre-
Ostrom idea still holds and that the Chinese fossils are early, flightless birds. "Caudipteryx is really just an old kiwi."
ARINE BIOLOGIST Mark Erdman through a market in the city of Man the donesian island of Sulawesi when he was breix misha by a fish. In a cart being wheeled past him whom
The Old Fish of the Sea
coelacanth, one of the most famous, yet most elusive, fish on the planet. Sporting fleshy, limblike fins, it originated 400 million years ago from the same stock of its har gave rise to the ancestors of land-dwelling vert called tetrapods. Among living animals, only lungfish are closer kin to tetrapods. But until just 60 years ago, no one knew that coelacanths were among the living-they were thought to have been extinct for some 80 million years.
Then in 1938 fishermen hauled in a live specimen off the coast of Cape Town. Since then the fish have been found in a few other patches of the ocean near Madagascar, Mozambique, and the Comoro Islands. On the whole, biologists viewed these populations as tiny remnants of a once-great dynasty.
Thus, to see a coelacanth 6,200 miles away from its known habitat was decidedly odd. Unfortunately Erdmann was unable to buy and study

the fish in the cart-he
was on his honeymoon
Currie admits at this stage there are
still shaky branches on his tree, but the
classification of the Chinese finds as
feathered dinosaurs is not one of them.
Feduccia's scenario creates an even big-
ger disparity with the fossil record and
requires that the Chinese animals inde-
pendently evolved many dinosaurian
traits. "It's good to have a dissenting
voice that says, 'Hey, there's more than
one possibility here,' because it makes
you look at the specimens harder," says
Currie. "But some of these arguments
are simply drifting into the realm of
silliness.
-Josh Fischman
at the time-but he was so intrigued that he
spent ten months interviewing local fishermen
in search of another specimen. (Along the way
he learned that on Sulawesi the fish is called
raja laut, meaning "king of the sea.") His per-
sistence was rewarded this past July when a
four-foot, 64-pound coelacanth (shown here)
was caught in a deep-set shark gill net placed
off the volcanic island of Manado Tua.
"It's a very important discovery," says Roy
Caldwell, Erdmann's postdoctoral sponsor at
the University of California at Berkeley, "be-
cause coelacanths are in serious trouble in the
Comoros-the population has probably halved
in the last ten years. People there fish for oilfish
and catch coelacanths as a by-product."
Erdmann froze the Indonesian coelacanth
shortly after its death, and a genetic analysis of
its tissues is now under way to compare it with
the African populations to see if it's a separate
species or not. "If they are related," says Cald-
well, "I'd bet Indonesia is the source popula-
tion." An ocean current flows from the Philip-
pines past the Sulawesi Sea, through the
Makassar Strait, and into the Indian Ocean,
where it travels westward, to the Comoros.
-Josie Glausiusz

[PAGE BREAK]

[JANUARY
1999]
Attaché

THE BUSINESS
TRAVELER'S
COMPANION
[COVER]
Outrageous bargains abound
in London. Illustration by
Edwin Fotheringham.
[UP FRONT]
CHAIRMAN'S CORNER
Making Politics Meaningful
Stephen M. Wolf on the need
for consensus. PAGE 11
CONTRIBUTORS
The faces of ATTACHÉ.
PAGE 12
READERS' CHOICE
Your superlatives. PAGE 14
[THE BRIEF]
Well Met
The business meeting of the
'90s is more about substance
than style. PAGE 16
[PARAGONS]
BEST OF THE
WORLD
Elizabeth Strout on Maine
roads, Danielle Svetcov
on swing dancing, Michael
Cannell on a handmade
toboggan and an exquisite
Finnish stove, Ann de Forest
on hi-tech hotel rooms, Ellen
Seidman on great french fries,
Lance Elko on the finger
wizardry of Junior Brown,
and more. PAGE 20
[INFORMED SOURCES]
HOW IT WORKS
Get the Picture
Jim Collins explains
photography and how
digital technology is sharp-
ening our focus. PAGE 35

52
The Fossil
Lives
Ardent researchers
have risked their
lives just for a look at
this one mysterious
creature. Now their

hopes are soaring.
BY MICHAEL
CANNELL
92
ILLUSTRATION BY ARNOLD ROTH
48
Emporia
Euphoria
Once a year London's
staid retail establish-
ments go bonkers.
Prices plummet and
reserve turns to
frenzy. Here's how
to join the queue.
BY LARRY
OLMSTED
2423
LONDON
60
At the Super
Bowl Party
Fire up the volcano!
Pour on the giraffe salad!
If you can snag an invite,
you know the real game
is off the field.
BY ROBERT SULLIVAN
SALE
FUEL
FOBIN FATHERINGHAM
FUEL PIZZA CA
asolime
GENIUS
AT WORK
How to Do Everything
Noël Irwin Hentschel, a CEO,
mother of seven, and (very)
frequent flyer, makes it
all very simple. PAGE 38
[PASSIONS]
THINGS THAT GO
Camping on Wheels
Stephen Madden hits the road
in an RV and finds it almost
as good as tent camping.
PAGE 69
GOLF
The Faxon Report
Robert Sullivan gets the scoop
on the state of the game
from PGA tour veteran Brad

Faxon. PAGE 75
[GREAT DATES]
BEST OF THE MONTH
January's Musts
Have-to-do dates. PAGE 80
[PUZZLES]
CROSSWORDS
AND MORE
Brain-teasers from master
puzzlers. PAGE 93
[US AIRWAYS
ENTERTAINMENT
& INFORMATION]
Your Inflight Guide
PAGE 95
Overture: Television and
Cinema PAGE 96
Overture: Audio
Entertainment PAGE 98
Important Information
PAGE 101
US Airways Route and
Destination Maps
PAGE 102
Beverages PAGE 108
Airfone service PAGE 109
Connections PAGE 110
Customs Forms PAGE 113
What's New PAGE 116

42
Diane Goes
to Charlotte
Our business corre-
spondent explores
the spotlessly clean,
well-dressed center
of Southern banking.
BY DIANE CYR
PERSI

[PAGE BREAK]

OFF-CAMPUS
DEGREE PROGRAMS
Attaché
Ci
alifornia Coast University, a pioneer in the development of external degree programs, has been assisting men and women in the completion of their Bachelor's, Master's and Doctoral degrees for over 25 years.
Students may receive academic
credits for previous work

experience,
company training, military schools,
specialized training, workshops & seminars.
The University's study programs are
individually designed to allow enrollment
at any time, and completion as rapidly as
time and ability permit, without mandatory
classroom or residency requirements.
For information on how to qualify for
advanced placement in a Bachelor's, Master's or
Doctoral program in Business Administration,
Management, Engineering Management,
Psychology, Education or Health Care
Management, contact our Admissions Office.
California
Coast
University
700 N. Main St. Santa Ana, CA 92701
[AD] (714) 547-9625 (800) 854-8768
www.calcoast.edu
E-Mail: info@calcoast.edu
EDITOR
Jay Heinrichs
MANAGING EDITOR
Lance Elko
ART DIRECTOR
Paul Carstensen
SENIOR EDITOR
Susanna Rodel!
TEATURES ADITOR
Acigail Seto
ASTITEMS AG S
CUSTROU
Regina Barre, Gurg
Jun Collins,
Stephen Madde, Liz: h
CREATIVE CONSULT
Michael Con
US AIRWAYS EDITORIAL BOARD
Lawrence M. Nagin, Rita M Cuddihy,
Sharon Taylor, Richard M. Weintraub
US AIRWAYS
2345 Crystal Drive Arlington, VA 22227
US AIRWAYS CONSUMER AFFAIRS
Deborah Thompson P.O. Box 1501
[AD] Winston-Salem, NC 27102-1501
[AD] 336/661-0061 Fax: 336/661-8031
10 Denim Sport Shirts
Embroidered With Your Logo
Only $349 (no setup fee!)
Satisfaction Guaranteed
No Questions. No Exceptions.

Premium quality garments and exceptional
embroidery make it easy for us to guarantee our
custom apparel and gifts. We specialize in
helping organizations like yours around the world
enhance their image. Our expert consultants are
standing by to help customize golf shirts, denim
shirts, caps, sweaters, jackets and thousands of
promotional products with your logo. Try us for
your next trade show, event or giveaway program.
[AD] Call 1-800-962-2699
today for your FREE
catalog or visit us online:
www.stitchescatalog.com
Tout Logn
PUBLISHER
Edward F. Calfo
ASSOCIATE PUBLISHER/ADVERTISING DIRECTOR
Erich William Berger
MARKETING RESEARCH DIRECTOR
L. Eric Czechowski
MARKETING RESEARCH ANALYST
Karin Hiser
ADVERTISING ADMINISTRATOR
Cheryl Nichols
PRODUCTION DIRECTOR
James A. DeCata
PRODUCTION MANAGER
Sharon Linder
MANAGER, VIDEO SERVICES
Kathy Cates
CIRCULATION MANAGER
David Brown
MANAGER OF MICROCOMPUTER SYSTEMS
Greg Hausler
PROMOTIONS COORDINATOR
Beverly Teer
[AD] SUBSCRIPTION SERVICES SINGLE COPY SALES
Ellen Kerr
STITCHES
CUSTOM APPAREL
A division of Market America, Inc.
No. 7 Taylor Alley, Doylestown, PA 18901
[AD] 215-230-3373 fax 215-230-7577
CALL NOW LIMITED TIME OFFER
US AIRWAYS Attaché JANUARY 1999
PACE COMMUNICATIONS, INC.
President and CEO: Bonnie McElveen-Hunter
Chairman Emeritus Eugene Johnston
Secretary-Treasurer Patricia M. McConnell
Executive Vice President: Edward E. Calfo
Vice President, Finance: Robert D Hudson
Prepress: Black Dot Group/Orent, Omaha, Nebraska

Printer World Color, Jonesboro, Arkansas
Editorial Inquiries: ATTACHE, Pace Communications, Inc, 1301 Carulina Street, Greensboro, North Carolina 27401 Manuscripts must be accompanied by self-addressed, stamped envelopes. ATTACHE assumes no liability for safekeeping or return of unsolicited art, photographs, manuscripts, or other material. Reprint Information: For high-quality article reprints of 100 or more, [AD] please contact Reprint Management Services at 717/560-2001.

[PAGE BREAK]

FORUM

THE LOCH NESS MONSTER-CŒLACANTH CONNECTION

It is not well known that Professor Roy Mackal once suggested to submarine-inventor Dan Taylor after the 1969 expedition which featured Taylor's one man sub that they should go to the Comoros and dive for cœlacanths. They never did, but Dan Taylor is now building a larger submarine that steers and speeds along at 23mph (37km/h). During the summer of 1999, Taylor will dive again into Loch Ness to search for the lake's mystery inhabitants. With him, as the mission's official cryptozoologist, will be our 'On the Trail' columnist, Loren Coleman. Stay tuned for expedition updates in forthcoming columns.

Fortean Times
n = 117, December
1998, p. 46

LIVING FOSSILS RETURN ON THE TRAIL

It's nice to think that FT played a part, however small, in predicting the discovery of a second colony of cœlacanths. LOREN COLEMAN explains.

The darling of cryptozoology - the coelacanth is back in the news.

First found in 1938, the coelacanth was heralded around the world as a living example of a prehistoric fish known only from its fossils which dated back 400 million years. The coelacanth was assumed to have become extinct around 80 million years ago - until a fisherman pulled the first-known modern example from the waters near the Comoros Islands near Madagascar. Marjorie Courtney Latimer, then a taxidermist at the East London Museum, came across it in a fish market.

Startlingly, to Western scientists at least, a discovered off the coast of Indonesia, some 7,000 miles (11,200km) from its only previ- second population of cœlacanths has been ously known location near Madagascar. Of course, the local people knew about them all along.

And where was the first specimen of this new population found? It's a case of history repeating itself. Coming to the end of a honeymoon in Bali, marine biologist Mark Erdmann and his new bride decided to visit a fish market in Manado, on Sulawesi, to look for manta shrimp, the animal he studies.

"His wife pointed out a large, ugly fish going by on a handcart, which he looked at and immediately recognised as a coelacanth," said Roy Caldwell, a biologist at the University of California-Berkeley. At 4ft (1.25m) long, Erdmann thought it would be a major hassle to deal with since he was at the finish of his stay. He didn't want to cancel his departing flight and attempt to take the smelly fish back with him, so he took some snapshots. (If I saw a coelacanth in a fish market, I might try to make some alternative arrangements and try to preserve such a "catch"!)

As a marine biologist attached to UC-Berkeley, Erdmann could not have been happier to show off his honeymoon pictures to the folks back home. Soon, Erdmann was able to obtain some grant money and went back to see if he could find more coelacanths in Indonesia. His team quickly set to work asking if there were any fishermen throughout the north Sulawesi region who might have seen the fish before, duplicating the efforts that Dr J L B Smith, teacher of chemistry turned coelacanth hunter, had used in finding the second Comores specimen in 1952.

Erdmann's investigation turned up reports of a big but rare fish, up to 6.5ft (2m) long and weighing up to 143lb (65kg). It was known locally as raja laut (Malay: 'king of the sea'). Finally on 30 July 1998 fishermen netting for deepwater shark off the young volcanic island of Manado Tua caught and delivered a raja laut to Erdmann. Although near death, the coelacanth remained alive long enough for Erdmann to film it swimming for three hours before freezing it for later analysis. The Comoros' coelacanths are deep blue with white spots, while the new Indonesian variety appear to be much bigger and brown with white spots.

Erdmann and his co-authors, Prof. Roy Caldwell and Dr M Kasim Moosa, write about the remarkable discovery in the 24 September 1998 issue of Nature. They note that the coelacanths recently found in Indonesia apparently live in the same type of environment as those found in the Comoros, caves about 600ft (18m) deep along the steep sides of underwater volcanoes. Their hope is that more colonies might be discovered now that scientists know where to look. The fish were probably "habitat specialists", choosing young volcanic islands with steep sides full of crevices and caves, conditions which exist in both Manado Tua and the Comoros.

THERE IS A TANTALISING POSSIBILITY THAT AN UNKNOWN CŒLACANTH IS LURKING OFF THE COASTS OF AUSTRALIA

As any reader of Fortean Studies (volume 2) knows, Michel Raynal and Gary Mangiacopra have been alerting cryptozoologists since 1995 to reports of coelacanths in supposedly 'unusual' locations (ie anywhere but the Comoros). In updating this for his website (perso.wanadoo.fr/cryptozoo/coel_eng.htm) Raynal seems to have anticipated the vicinity of the new discovery. He writes: "Quite recently, Bernard Séret, an ichthyologist at the Muséum

National d'Histoire Naturelle de Paris, gave me information on a more detailed case: 'A friend of mine - a consultant in fisheries (he has thus a good knowledge of fishes) - claims he saw coelacanth in a village of fishermen in Indonesia, some years ago. Unfortunately, he has no photographic document to prove his testimony!""
Placed alongside some intriguing reports of large coelacanth-like scales found in Australia, Raynal concludes: "... there is a tantalising possibility that an unknown coelacanth is lurking off the coasts of Australia - a possibility which seems more likely than stray individuals swimming across the Indian Ocean."
Reports of other coelacanth populations from around the world - something cryptozoologists have talked about for years - will now be taken more seriously.
LOREN COLEMAN IS A CRYPTOZOOLOGIST, UNIVERSITY PROFESSOR AND THE AUTHOR OF CURIOUS ENCOUNTERS (1985) AND TOM SLICK AND THE SEARCH FOR THE YETI (1989).
PALNET EARTH

[PAGE BREAK]

24 September 1998
Nature 395, 335 (1998) Macmillan Publishers Ltd.
Indonesian 'king of the sea' discovered
On 30 July 1998, an Indonesian population of coelacanth was discovered. It is apparently the same species as the well-known coelacanth from the Comoran archipelago in the Indian Ocean, Latimeria chalumnae Smith. At sunrise on 30 July, Om Lameh Sonathan and his crew of ten fishermen retrieved a living coelacanth from their deep-set shark gill-net off the young volcanic island of Manado Tua, north Sulawesi, Indonesia. This is almost 10,000 km from the known population of L. chalumnae in the Comoros 1,2. The Indonesian specimen, which is 124 cm long and weighs 29.2 kg, was observed live by one of us (M.V.E.) for more than 3 hours before the carcass was deep-frozen and tissue samples were collected for molecular analysis.
although this must be confirmed by further investigation.
A preliminary examination of the specimen's external morphology suggests that it is conspecific with L. chalumnae,
The only immediately observable difference from published accounts of L. chalumnae is the colour. Previous specimens, from the western Indian Ocean, including the first one observed by Marjorie Courtenay Latimer, are usually described as 'steel blue'3,4, although there are reports of dead coelacanths appearing brown5. The live Indonesian specimen was distinctly brown. It shares the same characteristic white mottling pattern as Indian Ocean specimens6, but has numerous striking gold flecks over the entire dorsal surface of the body and fins. These are apparently a prismatic effect of light reflecting off the numerous denticles on the scales.
The fish was caught in a shark gill-net of mesh size 6 cm, approximately 150 m in length and 11 m in height, set 3.5 m off the substrate at a depth of 100-150 m for a 12-hour period overnight. The capture site was at the

base of a steep
Comoran coelacanths7.
volcanic slope known for its complex cave and crevice topography, and appears similar to the habitat reported for the
This is only the fourth coelacanth reported to be caught in a net, as the Comoran specimens were captured by
fishermen hand-lining for the oilfish, Ruvettus pretiosus4. Of the three previous specimens caught outside the
Comoros, two were captured in trawl nets, off South Africa3 and Mozambique7, and a specimen from Madagascar
was caught in a gill-net8. Interviews with fishermen throughout north Sulawesi reveal that, although the oilfish is
using deep gill-nets.
often caught by hand-line in this area, coelacanth (known locally as raja laut, or 'king of the sea') are only ever caught
The new specimen is actually the second coelacanth to be reported from north Sulawesi. On 18 September 1997, the
wife of M.V.E. saw a strange-looking fish being wheeled in a cart across the fish market in Manado. The fish was
immediately recognized as a coelacanth, but we only managed to take some photographs of the fish and briefly
interview the fisherman before it was sold. M.V.E. has since been interviewing fishermen in villages throughout the
area, as part of a US National Science Foundation international postdoctoral fellowship with the Indonesian Institute
of Sciences and with the support of the National Geographic Society. These surveys have identified several fishermen
from north Sulawesi who claim to have captured coelacanths. These interviews, combined with the vast distance from
the Comoran archipelago, strongly support the idea that the Indonesian coelacanths are part of an established north
Comoros9.
Sulawesi population, and not simply 'strays', as has been suggested for the other specimens captured outside the
The discovery of an Indonesian coelacanth population has biogeographical and conservation implications. It is
unlikely that living coelacanth exist only in two small, highly disjunct populations. Comparison of DNA sequences
from tissues of the Indonesian and the western Indian Ocean specimens will reveal the depth of divergence between
these two populations.
Further expeditions in Indonesia and to the islands in the vast stretch of Indian Ocean between the Comoros and
Indonesia may discover additional populations. This would be welcome news for coelacanth conservation, as the fish

[PAGE BREAK]

is considered highly endangered, in part because of its extremely limited distribution and small population size 10.
Nonetheless, the Indonesian government is already considering measures to prevent a repeat of the conservation
problems caused by fishing and scientific collection in the Comoros 11.

Mark V. Erdmann*+, Roy L. Caldwell*, M. Kasim Moosat
*Department of Integrative Biology, University of California, Berkeley, Berkeley, California 94720, USA
†Indonesian Institute of Sciences, Jakarta, Indonesia
References
1.Smith, J. L. B. Nature 171, 99-101 (1953). Links
2.Fricke, H. & Plante, R. Naturwissenschaften 75, 149-151 (1988). Links
3.Smith, J. L. B. Nature 143, 455-456 (1939). Links
4.Balon, E. K., Bruton, M. N. & Fricke, H. Env. Biol. Fishes 23, 241-280 (1988). Links
5.Millot, J. Naturaliste Malgache (suppl.) 1, 1-26 (1954). Links
6.Fricke, H. et al. Env. Biol. Fishes 32, 287-300 (1991). Links
7.Bruton, M. N., Cabral, A. J. P. & Fricke, H. S. Afr. J. Sci. 88, 225-227 (1992). Links
8.Heemstra, P. C., Freeman, A. L., Wong, H. Y., Hensley, D. A & Rabesandratana, H. D. S. Afr. J. Sci. 92, 150-
151 (1996). Links
9.Schliewen, U., Fricke, H., Schartl, M., Epplen, J. T. & Pääbo, S. Nature 363, 405 (1993). Links
10.Fricke, H., Hissmann, K., Schauer, J. & Plante, R. Nature 374, 314 (1995). Links
11.Forey, P. L. History of the Coelacanth Fishes (Chapman and Hall, London, 1998). Links

[PAGE BREAK]

RESEARCH
NOTEBOOK

Health Letter Targets Youths

Plenty of research suggests young Americans are not well-informed about nutrition and don't eat as well as they should. A newsletter called "Kids for Healthy Hearts News," is written by youths 11 to 17, and is available free. A recent issue, printed in bright green and pink, is about complex carbohydrates. It has a recipe for honey raisin bran muffins, two puzzles, an essay on smoking and tips on eating. The newsletter is sponsored by Kellogg Co. Subscribe by writing to "Kids for Healthy Hearts, P.O. Box 3449, Battle Creek, Mich. 49016.
- AP

Water Study Sites in Tampa, Oakland

Tampa, Fla., and Oakland, Calif., have been picked as tentative test sites for a study of how people use water in their homes and how much they could save if they installed high-tech plumbing devices. Researchers plan to attach monitors to toilets, shower heads and water meters at a sampling of homes in both cities.

"The information will enable us to project future demand and allow us to make realistic projections on how much water we can save through conservation," said Wendy Nero, conservation manager at the Tampa Water Department.

The Stevens Institute of Technology in Hoboken, N.J., will conduct the research, pending approval by the Tampa and Oakland city councils. If approved, the study should begin by January. Researchers also will study whether people using devices like low-flow shower heads really save water- or just take longer showers, said civil engineer Thomas Konen, the study's coordinator.

Ants Protect Caterpillars

Science has detected the existence of a military treaty between the ant world and butterfly caterpillars. P.J. DeVries of the University of Texas at Austin says ants are providing protective escort for the highly vulnerable caterpillars. Wherever butterfly caterpillars go, they simply emit acoustic calls and ants come running. In return, the caterpillars provide food in the form of secretions that ants feed on.

<- AP

- Copley News Service

Joggers Warned of Bad Air Traps

Exercising on tree-lined streets may be scenic, but University of Texas School of Public Health researchers say it could be dangerous.

The reason is large, overhanging trees can trap unsafe levels of traffic-spewed pollution, which is then inhaled by exercisers.

In tests along various streets in Houston, the researchers discovered that carbon-monoxide levels were highest along tree-lined thoroughfares.

NEW HAMPSHIRE SUNDAY NEWS, Manchester, N.H.-September 30, 1990

Desert animals active round-the-clock

In the heat of the day In Saudi Arabla, grasshoppers, wasps, beetles and lizards are plentiful. Predators, such as snakes, camel spiders and rodents, come out at night. Some are dangerous when threatened. U.S. military based In Saudi Arabla are more concerned about snakes and scorpions.

Spiny-tailed lizard

Up to 3 feet long; smells with fleshy pink tongue; swings spiny tail in defense; head has to be cut off to release jaws from a bite; tail is a delicacy-tastes like chicken

Three families of snakes

Viper: Triangle-shaped head, color of sand, hides just

beneath surface of sand;
frontal poison fangs; the
most venomous in Saudi
Arabia; bite can be fatal
Cobra: 20-60 inches long,
nocturnal, rarely comes to
surface
Waral, or desert monitor
More than 2 feet long with
snake-like head; uses tail as
whip; bite is not fatal; kills
spiny-tailed lizards
Camel spider
Huge (up to 6 inches),
hairy, enormous jaws;
attacks and bites when
cornered; bite can cause
infection
Sea snake: Lives in Persian Gulf,
highly poisonous, short fangs
Caution for troops in Saudi Arabia
U.S. medical experts stationed in Saudi Arabia say desert animals have not posed serious problems for troops, but medical facilities are well stocked with anti-venom medication. Also: Soldiers' thick leather boots good for stomping on scorpions; turn over rocks carefully with the foot first, not with the hand
Scorpion
(Not drawn
to scale)
Body up to 3 inches long; hides
under rocks by day; attracted to
light, warmth at night; known to
crawl into sleeping bags, shoes;
sting is poisonous, can cause
severe pain, swelling; severe stings
can cause high blood pressure,
rapid heart rate; less potent bites
no more serious than bee sting
Skink, or sandfish
Harmless lizard that dives
into loose sand
Bites require immediate medical care; doctors advise against attempting to suck out venom from a snake bite
Viper bite riskiest for children, elderly, not fatal for healthy adults
One U.S. soldier was bitten by a snake, but no poison entered his system
SOURCE: "Animal Life In Saudi Arabla." by Betty Lipscombe Vincett, U.S. Central Command; Research by WENDY GOVIER and LILY DOW

frequent sips of liquids such as Gatorade, chicken broth, fruit juices or non-diet sodas and try to drink 2 quarts a day - 3 quarts if you have a fever.
When diarrhea begins to subside, you can then eat easily digested foods such as bananas, cooked carrots, crackers or toast.
-Copley News Service
Broccoli Rich in Vitamin A
Broccoli may not have the typical yellow or orange hue, but it's rich in beta-carotene.
KRTN Infographics/REGINALD MYERS
with it, dry air, dehydration, cramped quarters and flight preparation noises can trigger physical reactions that cause migraines.
The Diamond Headache Clinic in Chicago found that participants got relief by taking preflight doses of diazepam and a pain reliever to prevent headaches.
-Copley News Service
Electromagnetic Fields a Risk?
Are electromagnetic fields bad for your health? "Most experts we talk with private-
9F
"If so, regulators and the public will be unwilling to wait for more research before calling for an immediate redesign of the electric system. Unless utilities, appliance manufacturers, and the building industry start doing careful engineering/economic homework now, a rush to manage the risks could result in inappropriate and inefficient actions."
- Scripps Howard News Service
Looking Toward Lunar Mining
Tomorrow's mines may be in outer space, reports the U.S. Bureau of Mines in its July Minerals Today. "Mining on the moon may very well become a reality early in the 21st century,' "writes William O. Stewart of the Bureau's Branch of Mining Technology. "The Bureau of Mines has been cooperating with (NASA)... for more than two decades to develop the technology for mining operations in other worlds. . . Such operations would probably focus on excavating the fine-grained lunar soil, using small digging and hauling equipment. Astro-miners would operate the equipment by remote control from protected structures on the moon.
-Scripps Howard News Service
'Dinosaur Fish' in Danger
A "dinosaur fish" that has survived into

the 20th century could become extinct "within two decades," German scientists write in a letter to the British journal Nature. Until a half-century ago, scientists assumed coelacanths had gone extinct tens of millions of years ago. Then they discovered a live one in the West Indian Ocean. Now coelacanths' total numbers are down in the hundreds, "which is indeed a very small number," say Hans Fricke and Karen Hissmann. "Coelacanths are rare, and concentrated international efforts should be made to protect them."
- Scripps Howard News Service

Still No Cure for Jet Lag

Millions of air travelers suffer in varying degrees from jet lag, the body's inability to adjust quickly to sudden shifts in the timing of day and night. For years some experts have advised that before a trip, the traveler gradually shift his or her sleep schedule to that of the destination.

In recent years one well-publicized antidote is the "jet-lag diet" developed by Charles Ehret, a scientist with the U.S. Department of Energy's Argonne National Laboratory. The key is spending alternating days prior to departure emphasizing either protein in the diet or carbohydrates such as sugars and starches. Some destinations require downing a cup or two of strong black coffee on the evening of departure.

A U.S. Army research center in Natick, Mass., recently tested Ehret's jet lag diet on 23 soldiers, whose diets and sleeping schedules were manipulated for two weeks to simulate a flight from New York to Paris. The experiment did confirm jet lag's existence. But it failed to support the jet-lag diet. Those test subjects on the diet fared no better than the others. In some cases the required caffeine dose interfered with

[PAGE BREAK]

10F
FIGURE
NEW HAMPSHIRE SUNDAY NEWS, Manchester, N.H. - September 30, 1990
RAIN FROM
ELBOW CLOSE
TO FOUNDATION
CAN SEEP
INTO BASEMENT
DEBRIS FILTER

TO SHORT LENGTH
FIGURE 2
OF PIPE THAT
CONNECTS INTO ELBOW'
A
Home
FIGURE 3
FILTER
TO STRAIN
LEAVES, TWIGS,
ETC.
RAIN FROM
DOWNSPOUT
DISTRIBUTED ON
GRASS AWAY
FROM HOUSE

Avoid Fire: Watch Outlets, Cords

Scripps Howard News Service

Oscillating fans create a cooling breeze, providing comfort on a hot summer evening; automatic coffeemakers begin brewing the morning's first cup even before we're fully awake, and videocassette recorders let us view television programs and movies at our convenience.

But just as the use of appliances can enhance life, their misuse and a resulting fire can end life.

According to public safety officials, fire can result from a relatively simple thing, like doubling up appliances on a single electrical outlet or stringing out an energy-gobbling appliance on a frayed or substandard extension cord.

"People just don't believe us when we say extension cords cause fires," says Roy Del Carlo, fire marshal at the Redding, Calif., Fire Department.

Del Carlo says one of the most common household hazards is simply trying to plug too many things into a single outlet or substituting an extension cord for permanent wiring.

While the various appliances

SHOW

YOUR...
may operate without any ap-
parent problem, an extension
cord may overheat, especially if
it is called upon to deliver power
to more than one appliance.
PATRIOTISM
WAVE IT!
FLAGS
3x5 feet
WEAR IT!
FLAG PINS
Furled Flag
UNDERGROUND
PVC PIPE
SLOPES 1/4" TO
THE FOOT MINIMUM
BEAVER INDUSTRIES
890 HERSEY STREET
TUNNEL UNDER
SIDEWALK
60
ST. PAUL, MINNESOTA 55114
8' FROM
HOUSE
BUBBLER
POT
[AD] 1-800-828-2947
Keep Rain Away From Foundation
Building codes vary when it
comes to how rainwater will be
distributed; some permit the
water to flow over the edge of the
roof while others insist on gut-
Basement Workshop
By Larry Eisenger
ters and downspouts leading to a aluminum (although we do have downspout may solve your prob-
case; in many communities look like aluminum), slip a pot cover is large enough so if
The
Union
Leader
AUTOMATED
TELEPHONE
ATTENDANT
DIAL
[AD] 668-4321
ROTARY PHONES
GO TO OPERATOR
RECORDED
bubbler a b c o
any debris finds its way past the app is
to be a bad

downspout (called a leader) into running the line in a trench away filter, merely lift off the lid the clean it out. And, lest you think
buildings
often connected
a
sewer system - now
fitting in place, and continue
....
house and
A■ a pu par a s
or fe
parada para asal au 'smaned deals wa
11-11-
a b c d
Sewn Strips
High Quality
• Colorfast Cotton
Hard Enameled
• Double Stitched
Stripes
• Canvas Heading
• Brass Grommets
[AD] $6000
EACH
(If picked up)
*80° (If mailed)
s a n
id be
But a s
e f
qnd [■uan■f e
Ass! Isniny a
s sopod span of soda
[[app para
od 09 pue of the spa
as
a co-
be a
a
a b c d e
b c d as he w
no es su■ by a pa
• Electro Gold
Plated
•Safety Clutch Back
• 3/4" Diameter
The Union Leader {
[AD] $200
EACH
(If picked up)
[AD] $250 (If mailed)
NEW HAMPSHIRE'S

DAILY NEWSPAPER
a to s t u
- pe sit as of
a b c d
we can
na st
pa pe care
- at a po- to
s■■eds u■do-app
■o ■■ ex ca pue
Sandy to be an a

[PAGE BREAK]

Machleute wußten es alle: In der Nähe von Bilbao im Baskenland war 1964 in einer Kirche ein Silberquastenflosser entdeckt worden. Er hing als sogenanntes Exvoto, eine Votivgabe also, von der Decke einer kleinen Kapelle, und dort wurde er von Dr. Reti aus Rio de Janeiro zufällig fotografiert. Das Bild erschien in der amerikanischen Zeitschrift ,,Sea Frontier" und löste heftige Spekulationen aus. War der Quastenflosser Latimeria lange vor seiner wissenschaftlichen Entdeckung 1938 bekannt? War vielleicht sogar eine Latimeria nach Spanien verdriftet worden? Oder hatte ein Seemann dem Silberschmied eine „eingemachte" Latimeria als Vorbild gegeben? Gab es gar Quastenflosser vor Spaniens Küsten? So etwas wäre mir am liebsten gewesen, beschäftigten mich doch Quastenflosser seit meiner Jugendzeit, seit der Südafrikaner J.L.B. Smith diesen altertümlichen Fisch gefunden und in einem liebenswürdigen, aber sehr rassistischen Buch „Old Fourlegs" für uns alle verewigt hat. Der Quastenflosseralarm in Spanien blieb nicht der einzige. Professor Anthony aus Paris, ebenfalls ein Quastenflosser-Forscher, beschrieb 1972 einen

weiteren Fund, aufgetaucht in einem Antiquitätengeschäft in Toledo. Dort war er 1965 gekauft worden. Sein Besitzer, Maurice Steinert aus Brüssel, Molekularbiologe an der dortigen Freien Universität, hatte ihn als Student für nur 9500 Pesetas erstanden. Er erhielt auch ein Zertifikat, das die Herkunft hundert bestätigte. Steinert erdes Fisches aus dem 19. Jahrkannte sofort, daß es sich um einen Quastenflosser handelte, hatte er doch die typischen Flossenstiele. Lange blieb es dann still um diesen prächtigen Silberfisch.
Im Juli 1987 wir hatten gerade den Quastenflosser im Indischen Ozean mit unserem Tauchboot GEO aufgespürt flog ich nach Brüssel: Ich wollte den Silberquastenflosser mit eigenen Augen sehen. Da hatte ich ihn endlich in den Händen: Komplizierte Gelenke bewegten den Körper. Sein Kopf ließ sich

Auf Spurensuche

FRICKE (Hans):
Quastie im
Baskenland?

Moderne Nachbildung oder heiße Spur für Quastenflosser im Atlantik? Das ist die Frage, der Hans Fricke seit geraumer Zeit nachgeht.

(Tauchen, h: 10, Oktober 1989, H. 64-67)

über ein Gelenk nach unten klappen, und auf diese Weise konnte ein Brief oder eine andere Dankesgabe im Bauch des Fisches verschwinden. Ich entdeckte aber noch mehr. Die Schuppen waren besonders fein graviert und zeigten Muster, die sich als Zeichnungsflecken wie bei der Latimeria entpuppten. Flossen und Flossenansätze glichen in der Tat denen des berühmten „lebenden Fossils". Aber der Kopf war kein Latimeriakopf. Wie auch die Schwanz-

flosse die typische kleine Extraflosse der Latimeria nur andeutungsweise enthielt.
Der Silberfisch war ein Quastenflosser, aber nicht unbedingt eine Latimeria! Vielleicht also doch eine andere, noch unbekannte Art? Mein Verdacht erhielt beim Mittagessen in Steinerts Haus unerwartet schnell neue Nahrung. Fast nebensächlich erwähnte Maurice, daß er noch andere Silberfische in dem Antiquitätengeschäft in Toledo gesehen und Fotos davon gemacht habe. Mir schlug das Herz bis zum Hals, als ich die Bilder in den Händen hielt. Die Fische waren so präzise gearbeitet, daß nicht nur Ähnlichkeiten in der handwerklichen Arbeit zu dem Silberquastenflosser offensichtlich wurden, sondern auch die Arten ließen sich leicht iden-

[PAGE BREAK]

tifizieren: Sie gehörten in den Atlantik, und eine sogar in die Gewässer des Amazonas. War dies ein indirekter Hinweis für einen atlantischen Quastenflosser?
Im Überschwang meiner eigenen Einbildung wälzte ich viele Hypothesen. Aber je mehr Zeit verstrich, desto mehr zehrte fast masochistischer Zweifel an der Festigkeit meiner gedanklichen Gebäude. Ich kam auf den Boden der Realität zurück, und die sah etwa so aus: Ein Silberschmied in Spanien könnte vielleicht Fotos der Latimeria in den Händen gehabt haben. Die Arbeit stammte folglich also nicht aus dem 19. Jahrhundert, sondern
wäre modernes
20. Jahrhundert. Dies wäre also der,,schlimmste" Fall, den man detektivisch widerlegen müßte!

Ganz zweifelsfrei ist mir das Unverkennbar ein Quastenflosser mit den typischen Stielansätzen der Flossen! Aber der Kopf und Details des Schwanzes sind nicht von Latimeria. Eine andere, bisher unbekannte Art?
bisher nicht gelungen, doch habe ich neue Hoffnungen, daß der Quastenflosser lange vor seiner wissenschaftlichen Entdeckung anderswo bekannt war. Ich sagte schon, daß Steinerts Silberfisch auf den Schuppen angedeutete Fleckenmuster hatte. Solche Muster trug der erste gefangene Quastenflosser aus dem Jahr 1938 nicht. Erst 1954 erschien in einer französischen Fachzeitschrift ein Foto von Latimeria, das eindeutig diese Fleckenmuster aufwies. Der Silberschmied könnte also seinen Fisch nur nach 1954 modelliert, und er müßte dazu diese wissenschaftliche Arbeit gesehen haben. Zwischen Herstellung und Kauf durch Maurice Steinert könnten also nur 11 Jahre vergangen sein. Silberkunstexperten kamen unabhängig voneinander nach unseren Fotos zu der Überzeugung, daß die Art der Silberarbeit auf das 17. bis 18. Jahrhundert hinweise. Festlegen könnten sie sich jedoch nicht, dazu müßten sie das Original in den Händen halten. Auch das Gelenk unterhalb des Kopfes könnte handwerkliche Arbeit aus dem 18. Jahrundert sein.
Ein Leser unseres GEO-Berichts schrieb mir, daß er einen Quastenflosser auf dem Fischmarkt von Palma auf Mallorca gesehen habe. Als ich nachfragte, ob ein Foto existiere, kam die überraschende Antwort, daß er den Fisch nicht fotografierte, weil er ja bereits bekannt sei. Ein Fi-

scher aus Griechenland behauptete sogar, gelegentlich etwa 50 Zentimeter lange Exemplare in der Ägäis zu fangen. Schließlich kam Quastenflosseralarm auch aus Vigo in Westspanien an der Atlantikküste. Dort sei ein Quastenflosser auf einem Fischmarkt aufgetaucht. Ein Foto zeigte aber nur die unscharfen Umrisse eines Anglerfisches. Seitdem traue ich auch Fischkennern nicht mehr so ganz über den Weg.
Allerdings - so muß ich gestehen
überraschte mich die Aussage eines Wissenschaftlers auf einem Kongreß für Fossilforscher in Kanada. Dort war ich zu einem Vortrag über Latimeria eingeladen und zeigte auch
Silberfische (im Bild ein Segelfisch) werden heute noch in Spanien als Touristenandenken angeboten...
Alle Fotos: Hans Fricke
... aber dabei handelt es sich um teilweise maschinell hergestellte, längst nicht so sauber gearbeitete Massenware.

[PAGE BREAK]

Der Kopf der Exvoto-Fische konnte abgeklappt werden. Gläubige pflegten Zettel mit ihren Wünschen oder Danksagungen hineinzustecken.
als Tabak- und Opiumbehälter oder nur als schöne kitschige Figuren. Sie werden auch heute noch hergestellt. Ich hielt viele in den Händen und merkte, daß der Silberquastenflosser von Maurice Steinert eine Meisterleistung war, mit der Hand und Werkzeugen liebevoll gestaltet.
Die neueren Schuppentiere verBilder des Silberfisches. Aufgeregt kam danach ein junger Kanadier zu mir, der gerade seine Dissertation über die Evolution

von Quastenflossern geschrieben hatte. Es bestünde kein Zweifel für ihn, so behauptete er nach erneutem Blick auf die Fotos, daß dies nicht Latimeria, sondern eine bekannte fossile Gattung sei. Sofort dachte ich an die Fleckenmuster des Silberfisches. Sie bleiben bei Fossilien nicht erhalten. Der Künstler müßte also einen wirklichen Fisch als Vorbild gehabt haben. Das war der Stand der Erkenntnis, als ich anläßlich eines Besuchs in Hamburg mit Peter Nahke und Jörg Keller zusammensa■. „Nach Nordspanien müßte ich reisen können, dort selbst die Kirchen und Museen abklappern." Aber vor solche Vorhaben setzen die Götter wie immer die Finanzierung. „La■ uns das übernehmen", meinte Jörg,,,mein Verleger hat ein Faible für solche Abenteuer. Das Geld eise ich los!" So kam es, daß auch tauchen sich an meiner Jagd nach dem Quasti beteiligte. Mit Raphael Plante, einem Meeresbiologen aus Marseille, fuhr ich nach Spanien und ging erneut auf die Suche nach den Silberfischen. Wir durchstöberten Kirchen, Kapellen und 21 Antiquitätengeschäfte und merkten, daß die Kirchen leer und der Silberquastenflosser in Fachgeschäften unbekannt war. Und doch fanden wir Silberfische: als Gewürzdosen, loren dagegen an Glanz: sie waren gepreßte, schnell geformte Massenware.

Wir durchquerten auch das Baskenland, sprachen mit Priestern und kirchlichen Würdenträgern, suchten in Kirchenschätzen und Dioziösenmuseen nach weiteren Anhaltspunkten. Auch in Biarritz, gab es eine Spur. Dort lebte der spanische Baron de Baena et San Lucar mit einer

Exvoto-Figuren hingen früher - so wie heute noch dieses Segel-
schiff - in vielen spanischen Kirchen von der Decke.
66 tauchen 10/89
Detail der Latimeria, die Fricke auf 200 Meter Tiefe
fotografierte. Man beachte den Auswuchs am Schwanz.

[PAGE BREAK]

Kenya's first coelacanth
The 'living fossil' captured earlier this year off Malindi on the Kenya coast greatly extends the known range of this most unusual and special of fishes. Gordon Boy reports.
A
n extremely rare and unusual marine
fish species has, for the first time,
been found to occur off the Kenyan
coast. The fish in question is a coclacanth,
the living embodiment of a lineage of fishes
that has endured. virtually unchanged, for
hundreds of millions of years, surviving even
the mass extinction of the dinosaurs roughly
80-million years ago.
One of these prehistoric fishes was
captured carlier this year in the g
commercial fishing rawler spee
Kenyan coastal resort cover of art. The
trawler, the MV Ventured leg
Alessandro Basta, with is cape Fufanum
Fahli, and his 28-strong c
nautical miles from shore Aw
captured at a depth of 185
No coelacanth (pronounced see-la-kanth
had ever before been recorded in East African
waters.
The dead coelacanth. 1.7 metres long and
weighing 77 kilogrammes, was in September
handed over to the Department of
Ichthyology at the National Museums of
Kea (NMK in Nairobi. For nearly four
green this, it had been kept frozen
and in virtual obscurity in the cold
geput of the Mombasa-based fishery
Wananchi Marine Products
when the trawler had been
wakong has dhe ah was netted-at noon
There outing catch escaped wider
poslabe sie unil late August, when - at
the gene af Kenya Fisheries
14cm sistent Director (Coast).
turk-ng- it was placed among the
be on the Wananchi Marine
Paucis stand at the annual

Mombasa Show. There, it was
rough to the attention of -
among others - Kenya's
DISCOVERY
President Daniel
arap Moi, who was touring
the showgrounds after officiating at the
events opening ceremony.
The Kenyan President duly issued a
directive to the effect that this fish was a
natural asser to the country and should be
preserved. So the specimen's existence was
reported to Mombasa's Fort Jesus Museum.
That museum, in consultation with the
Kenya Fisheries Department, contacted
Dalmas Oyugi, a research scientist with the
NMK Ichthyology Department in Nairobi.
as Fort Jesus does not house natural history
collections.
Oyugi then arranged for an NMK vehicle
to take him and two of his Departmental
colleagues. Michael Mburu and Joseph
Gathua, down to Mombasa to collect the
specimen. The trio took delivery of the
coelacanth on September 12, transporting ir
to Nairobi in a large, coffin-shaped wooden
crate lined with plastic sheeting and packed
with ice.
The specimen has since been dissected
by a team of scientists led by the Nairobi
Museum's chief ichthylogist. Dr Luc De Vos.
It was found to be an adult female: one of
only.
a few mature female coelacanths ever
to be caught. Female coelacanths, which
are ovoviviparous (meaning they give
birth to live young), are remarkable for
the size of their eggs. These, at about
nine centimetres in diameter, are
roughly the size of tennis balls. And,
atonishingly, no fewer than 17
such eggs were extracted from
the Malindi specimen.
'Living fossil': the
coelacanth has endured,
virtually unchanged for hundreds
of millions of years, surviving even
the mass extinction of the dinosaurs.
Top, facing page: The specimen that
was caught this year off the Kenya
coast is displayed in Nairobi by
beaming National Museums of Kenya

laboratory staffers and observers, under chief Museums ichthyologist. Dr Luc De Vos (third from left).
24

[PAGE BREAK]

Photos: Department of tchnyclogy NATIONAL MUSEUMS OF KENYA
Tissue samples taken from the fish se now undergoing DNA tests, to determine whether this fish is related genetically to the coelacanths that occur around the Comoros Islands, near Madagascar off the southern African coast. "The DNA sequences will tell us," says De Vos, "whether this fish was simply a stray from the south, as we suspect: or whether there could be a more localised coelacanth population distributed between the East African coastline and, say, the Seychelles.
The answer to this intriguing question is expected fairly soon, he says. Either way, the Kenyan find effectively extends the known range of coelacanths by more than 1,000 kilometres.
Until as recently as 1938, coclacanths were known only from ancient fossils some dating back 400-million years. Their sudden disappearance from the fossil record about 80 million years ago suggested that coelacanths had become extinct at the same time as the dinosaurs.
The first living coelacanth was discovered off the eastern coast of South Africa, at the mouth of the Chalumna River near East London, in December 1938. That original type specimen was caught in a shark gill net by Captain Hendrik Goosen and his trawling crew pth of 40 facioms (nearly 75 metres).
Neither Goosen, non his crew, had any idea at the time of the immense significance of the "strange one" among their catch.
Fortunately, however, the odd-looking specimen was noticed by the then inquisitive young curator of the East London Museum, Marjorie Courtenay-Latimer, who was in the habit of sifting through the assorted hauls of sharks and other fishes - brought in by Goosen's trawler, the Nerine. On having the fish carried by taxi to her museum, Courtenay-Latimer alerted South Africa's

leading fish biologist, Prof James I. B Smith, then based at Rhodes University in Grahamstown.
Smith went on to describe the fish which he named Latimeria chalumnae, alter the young East London curator and the river mouth af origin, respectively and to introduce the coelacanth to an astonished wider world. Indeed, the coelacanth's discovery is still widely considered to be one of the most amazing zoological finds of the twentieth century.
Described as 'living fossils, coelacanths have changed little anatomically over the past 400-million years. As such, they may provide scientists with answers to some intriguing evolutionary questions. They differ markedly from all other living fishes in having fleshy appendages, or lobes, at the bases of their paited fins, which move like arms and legs.
The coelacanth takes its common name from the Greek for 'having a hollow spine. a reference to its incompletely developed vertebral column. Coelacanths also have distinctive three-lobed rails, and are the only living creatures with a fully functional intercranial joint separating the ear and brain from the nasal organs eyes, allowing the front part of the and head to be lifted while the fish, which is a predator, is feeding.
Single coelacanths have occasionally been caught off both Mozambique and Madagascar, as well as off South Africa. Until 1998, however, the only known sizeable coelacanth population was that

[PAGE BREAK]

occurring around the remote Comoros Islands, where typically they inhabit rocky reefs at depths of between 150 metres and 600 metres.
Coelacanths are usually steely blue in colour, but are flecked with white body markings from which individual fish can

be identified and monitored. Adult coelacanths measuring two metres from head to tail and weighing as much as 98 kilogrammes have been recorded.

In July 1998, a second coelacanth population was discovered off the island of Manado Tua, near Sulawesi in eastern Indonesia, some 10,000 kilometres east of the Comoros archipelago. After a lengthy dispute among scientists, this second population was declared to be a separate species and was given the scientific name Latimeria menadoensis.

The coelacanth turns out, not surprisingly, to have been familiar to generations of Sulawesi fishermen, who call it simply raja laut, or 'king of the sea."

The coelacanth's 80-million-year absence from the fossil record has been ascribed to changes in the fish's habitat. Prehistoric coelacanths, at their most abundant 240-million years ago, were evidently much more widespread and appear to have lived in environments conducive to fossilisation. Modern coelacanths, by contrast, are found predominantly in, and around, deep-lying caves and rocky overhangs in vertical marine reefs skirting relatively newly formed volcanic islands, which are comparatively poor environments for fossilisation.

Further information on Kenya's first coelacanth can be obtained from Dr Luc de Vos at the National Museums of Kenya Ichthyology Department, e-mail: < nmk@museums.or.ke >

Even so, the Kenyan discovery may indicate or coelacanths are still more widely distributed inday than has previously been supposed.

If the experience of other museums around the world is anything to go by, then Kenya's very own coelacanth, properly mounted and displayed, could become a major attraction for tourists, school parties and members of the public alike. For coelacanths are so very seldom captured that only a few museums around the world can boast of having one among their permanent exhibits.

The National Museums of Kenya (NMK) is therefore anxious, as soon as possible, to be able to put the Kenyan coelacanth or at least a good casting of it

(since the actual fish is rather badly damaged)
On the slab: Kenyan's coelacanth
(top right), one of remarkably few
adult females ever caught, was
found to be carrying no fewer than
17 well-developed, tennis-ball-sized
eggs. Below: Coelacanth fossil
dating from 200-million years ago,
shows how little this 'dinosaur' fish
specles has changed over the ages.
- on public display in one of its main
exhibition halls in Nairobi.
A special display case for the fish - lit up
by spotlights and flanked by illustrated
supplementary information panels and other
educational aids and materials - is envisaged,
along with additional castings for display at
Fort Jesus in Mombasa and possibly at other
educational establishments in Kenya.
P
26
26
SWARA September December 2001

[PAGE BREAK]

Mystery of the Silver Coelacanth
By DONALD P. DE SYLVA
'N 1938, ONE OF the greatest scien-
of Professor J. L. B. Smith of Rhodes
I tific discoveries of the twentieth University, Grahamstown, South Af-
century was made off East London,
South Africa. A fishing trawler
brought up from a depth of about
360 feet a 5-foot, 127-pound fish
which was unlike any the skipper had
ever seen. It was a vicious-looking
animal, with a set of strong teeth, and
the fins were set on stalks. The skip-
per saved the catch, and, through the
efforts of Miss Courtenay-Latimer,
the fish was brought to the attention
172
rica. He recognized this fish as more
than unusual-it was a living example
of a fish supposedly extinct for at
least 60 million years. This strange
fish, a representative of a group of
fishes known from fossils dating back
350 million years, belonged to the
lobe-fins, family Coelacanthidae.
Professor Smith named it Latimeria

chalumnae, and subsequently offered rewards to any fishermen who could

[PAGE BREAK]

obtain additional specimens. Fourteen years later, a second one was obtained in the Comoro Islands, near Madagascar, and given to Professor Smith. To date, nearly thirty have been taken off the east coast of Africa and made available to science.

Queer Fish

Subsequent study of these specimens showed them to be unique in their possession of a large lung, a

LEFT: STRANGE ORNAMENT, 4 inches long, made of silver was found in Spain in 1964. It bears a striking resemblance to a coelacanth. The puzzling circumstance is that it is believed to have been made about a century before living coelacanths were known to science. (Pablo P. Bardin)

BELOW: FIRST LIVING COELACANTH known to science was caught in 1938 off East London, South Africa. Before this the fish was believed to have been extinct for at least 60 million years. (J. L. B. Smith)

peculiar heart, an intestine which resembled that of a shark, an unusually formed pituitary gland of the brain, hollow fin-spines, and a backbone which is essentially a tube of cartilage. The coelacanths are related to fish families which are believed to have given rise to the first animals which became adapted for living on land. Here, then, was a truly great find and a chance for science to piece together possible "missing links" in the evolution of life. (Sea Frontiers, Volume 11, Number 3, May-June, 1965, "Living Fossils of the Deep Sea.") It was subsequently learned that the natives of the Comoro Islands had known about this fish, which they call "kombessa," for many years. In fact they salted and dried it for food and used the rough scales to

repair bicycle tires!
Living coelacanths are known only from the waters off the east coast of Africa, but some fossil genera dating from the Carboniferous (about 229 to 350 million years ago) or Permian 173

[PAGE BREAK]

(192 to 275 million years ago) are known from England, Scotland, Europe, and North America, while other genera occur in the Carboniferous of North America and the Cretaceous (from 90 to 100 million years) strata of England and Europe. While some fossil coelacanths are in relatively good condition, many are known only from bits and fragments.
Mediterranean Mystery
But a new chapter began when IOF member Dr. Pablo P. Bardin, of Buenos Aires, Argentina, recently sent to the Foundation a photograph of a four-inch silver model of a coelacanth. The accurately-scaled reproduction was purchased in Spain in the summer of 1964 by Dr. Ladislao Reti, a chemist. Dr. Reti obtained the objet d'art from a priest who had the beautiful artifact hanging as an ex-voto in a village church near Bilbao, on the Atlantic northern coast of Spain. While the species depicted is apparently not Latimeria, it is certainly a closely related species of coelacanth. Dr. Reti believes that this fish was made by a silversmith possibly a century before living coelacanths were known to science.
Fossil or Living?
Of two possible explanations, the more likely one is that the artist worked from a fossil coelacanth found perhaps in one of the Mediterranean countries. But the replica is so accurate in detail that one finds it hard to believe that the reproduction was based on a flattened and possibly imperfect or incomplete fossil. For even the best of artisans to achieve

such lifelike perfection from a fossil seems incredible.

The other possibility, while remote,. is quite intriguing. Could there be living coelacanths somewhere else besides off east Africa? The habitat of the coelacanths that have been taken is very steep and rocky. They have been caught in cool water, and all but the first specimen came from depths of between 650 and 2000 feet. Such habitats are not uncommon in the Mediterranean and eastern Atlantic Ocean, especially about the Canary Islands and the Azores. In many cases of exploratory fishing, it has been shown that the failure to catch a certain species of fish is often due to the lack of appropriate tackle or bait. Conceivably there are living coelacanths in the Mediterranean and/or the eastern Atlantic. Perhaps no one has fished for them properly.

A Tethyan Relict?

During geologic time, the Atlantic Ocean was connected to the Indian Ocean through a much larger counterpart of the present-day Mediterranean Sea-the Tethys Sea-from the Lower Cambrian (about 550 to 600 million years ago) until the later Palaeozoic period (about 225 million years ago). Very possibly the coelacanths were broadly distributed from South Africa throughout the Tethys Sea and relict species remained behind in the Mediterranean when the continents changed during the late Tertiary to assume their present characteristics. It is also possible, although unlikely because of the rather deep-water habitat of the known living coelacanths, that individuals could have migrated through the Gulf of Aden, through the Red Sea, the Suez Canal, and into the Mediterranean. Even though the Suez Canal was not completed until 1869, and the silver coelacanth is believed to have been

FOURTEEN YEARS after the first specimen, this coelacanth was caught in the Comoro Islands, near Madagascar. Coelacanths are related to fish families which gave rise to the first animals which became adapted for living on land. (J. L. B. Smith)

fashioned about a century ago, the faint possibility exists that a living coelacanth from off East Africa could have entered the Mediterranean after the completion of the Suez Canal. Other fish species from the Indian Ocean have made the passage into the Mediterranean, even though such cases are rare.

Still Wanted-Dead or Alive

The mystery of the silver coelacanth may never be solved, but marine scientists, archaeologists and paleontologists will speculate on this question until Dr. Reti or his colleagues, or perhaps one of our own Foundation members from the Mediterranean countries, unearths additional information. Hopefully, that historic day in 1938 will be relived as some angler or commercial fisherman in the Mediterranean catches a living coelacanth and saves it for science and mankind.